No.



200300258

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Hioneer Hi-Bred International, Inc.

DICTORS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR CONDITIONING IT PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR THE VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. (84 AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD (F1)

'PH81C'

In Vestimonn Murrers, I have hereunto set my hand and caused the seal of the Mant Unriety Arotection Office to be affixed at the City of Washington, D.C. this tenth day of September, in the year two thousand and four.

Attast:

amze

Plant Variety Protection Office Agricultural Marketing Service Agriculture

	<u>er and date on all reprodu</u> Partment of Agricul Ltural Marketing se	TURE	The following statements are made in accordate Paperwork Reduction Act (PRA) of 1995	Form Approved - OMB No. 0581-00 dance with the Privacy Act of 1974 (5 U.S.C. 552a) and 5.	
APPLICATION FOR P	LOGY - PLANT VARIETY LANT VARIETY PROTEC mation collection burden st	TION CERTIFICATE	Application is required in order to determine (7 U.S.C. 2421). Information is held confider	if a plant variety protection certificate is to be issued ntial until certificate is issued (7 U.S.C. 2426).	
1. NAME OF OWNER Pioneer Hi-Bred Inte	,	action of toversey	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NAME	3. VARIETY NAME PH81C	
4. ADDRESS (Street and No., or R.F.D. N 7301 NW 62 nd Avenu Johnston, IA 50131-	e	de, and Country)	5. TELEPHONE (include area code) 515/270-4051 6. FAX (include area code)	FOR OFFICIAL USE ONLY PVPO NUMBER 2007 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
7. IF THE OWNER NAMED IS NOT A "PE OFORGANIZATION (corporation, partn	•	8. IF INCORPORATED, GIVE STATE OF INCORPORATION	515/253-2125 9. DATE OF INCORPORATION	2003 0 025 8 FILING DATE May 21, 2003	
Corporation		IOWA	March 5, 1999	11/109	
Steven R. Anderson Research and Produ P.O. Box 85 Johnston, IA 50131-	ct Developmen	,	irst person listed will receive all papers)	FILING AND EXAMINATION FEES: S May 21, 2003 DATE \$3652.00 CERTIFICATION FEE: S 432.00 DATE \$127/04	
11. TELEPHONE (Include area code) 515/270-4051	12. FAX (Include area 515/253-21	•	13. E-MAIL steven.anderson@pioneer.com 14. CROP KIND (Common Name) CORN		
15. GENUS AND SPECIES NAME OF Zea Mays	CROP		16. FAMILY NAME (Botanical) Gramineae	17. IS THE VARIETY A FIRST GENERATION HYBRID? YES NO	
18. CHECK APPROPRIATE BOX FOR E (Follow instructions on reverse) a. Exhibit A. Origin and Breeding His Exhibit B. Statement of Distinctnets C. Exhibit C. Objective Description of Exhibit D. Additional Description of Exhibit E. Statement of the Basis of Voucher Sample (2,500 viable unt verification that tissue culture will be repository) g. Filing and Examination Fee (\$3,65 States" (Mail to the Plant Variety Follows of Mail to the Plant Variety Follows of This Variety Been Sold, U. S. OROTHER COUNTRIES? YES NO IFYES, YOU MUST PROVIDE THE DATE FOR EACH COUNTRY AND THE CIRCUM	story of the Variety ss f Variety of the Variety (Optional) of the Owner's Ownership reated seeds or, for tuber p oe deposited and maintaine fiz), made payable to "Trea rrotection Office) IY HARVESTED MATERIA DISPOSED OF, TRANSFI	propagated varieties, and in an approved public surer of the United L) OR A HYBRID PRODUCED ERRED, OR USED IN THE	CERTIFIED SEED? See Section 83(a) of the YES (If "yes", answer items 20 and 21 below) 20. DOES THE OWNER SPECIFY THAT SEE VARIETY BE LIMITED AS TO NUMBER IF YES, WHICH CLASSES? FOU 21. DOES THE OWNER SPECIFY THAT SEE VARIETY BE LIMITED AS TO NUMBER OF IF YES, SPECIFY THE NUMBER 1,2,3, etc. FOUNDATION REG (If additional explanation is necessary, pleased). IS THE VARIETY OR ANY COMPONENT INTELLECTUAL PROPERTY RIGHT (PLASE).	NO (If "no", go to item 22) DOF THIS ROF CLASSES? YES NO NDATION REGISTERED CERTIFIED DOF THIS F GENERATIONS? YES NO C. FOR EACH CLASS. DISTERED CERTIFIED RISE use the space indicated on the reverse.) OF THE VARIETY PROTECTED BY INT BREEDER'S RIGHT OR PATENT)? OF FILING OR ISSUANCE AND ASSIGNED	
for a tuber propagated variety a tissu The undersigned owner(s) is(are) the and is entitled to protection under the Owner(s) is(are) informed that false r SIGNATURE OF OWNER	e culture will be deposited owner of this sexually rep provisions of Section 42 c	in a public repository and maintained roduced or tuber propagated plant val of the Plant Variety Protection Act.	for the duration of the certificate. riety, and believe(s) that the variety is new, distinct salties SIGNATURE OF OWNER Halties Market A Market		
NAME (Please print or type)			NAME (Please print or type) Steven R. Anderson	•	
CAPACITY OR TITLE	DATE		CAPACITY OR TITLE Research Scientist	S/16/2003	

INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

ITEM

- 18a. Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
 - (2) the details of subsequent stages of selection and multiplication;
 - (3) evidence of uniformity and stability; and
 - (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Nov. 1, 2002 Canada

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).) United States Patents 5,500,365; 5,352,605; 5,359,142; 5,322,938;5,164,316; 5.196,525; 5,424,200

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center--East, Beltsville, MD 20705. Telephone: (301) 504-8089. http://www.ams.usda.gov/lsg/seed.htm

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 3.0 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

TDD). USDA is an equal opportunity provider and employer.

ST-470 (02-10-2003) designed by the Plant Variety Protection Office with Word 2000. Replaces former versions of STS-470, which are obsolete



Exhibit A: Developmental history for parent PH4NM

PHFW4<5PHP38<4B73+gene for European corn borer resistance)24X

Pioneer Line PH4NM, Zea mays L., a flint, corn, inbred, was developed by Pioneer Hi-Bred International, Inc. using the backcrossing method of plant breeding. Variety PHFW4 was used as the recurrent parent. The donor parent was derived from a B73 variety containing a gene for European corn borer resistance. Varieties PHFW4 (PVP Certificate No. 9600177), and PHP38 (PVP Certificate No. 9000250) are proprietary inbred lines of Pioneer Hi-Bred International, Inc. During backcrossing generations, plants were selected from populations for European Corn Borer resistance. In addition plants were selected for the recurrent parent plant type during all generations following the BC1F1 generation.

After 4 generations of backcrossing, the line was selfed for 3 generations. Trials were grown at Mankato, Minnesota as well as other Pioneer research locations. Generations of the line have been grown and hand-pollinated with observations made for uniformity.

Variety PH4NM has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". In addition to the backcrossing generations, it has been self-pollinated and ear-rowed 2 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetic homozygousity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability, and for 3 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and electrophoretically using sound lab molecular marker methodology.

No variant traits have been observed or are expected in PH4NM.

The criteria used in the selection of PH4NM were European corn borer resistance, PHFW4 plant type, yield, both per se and in hybrid combinations; late season plant health, grain quality, stalk lodging resistance, and kernel size, especially important in production. Other selection criteria include: ability to germinate in adverse conditions; disease and insect resistance; pollen yield and tassel size.

PH4NM Breeding History

Season/Year Pedigree Grown	Inbreeding Level of Pedigree Grown
PHFW4 Winter 1994	F0
PHP38<4B73*gene for European Corn Borer resistance Winter 1994	F0
PHFW4 <php38<4b73*gene 1995<="" borer="" corn="" european="" for="" resistance)="" spring="" td=""><td>F1</td></php38<4b73*gene>	F1
PHFW4<2PHP38<4B73*Gene for European Corn Borer resistance) Summer 1995	BC1F1
PHFW4<3PHP38<4B73*Gene for European Corn Borer resistance) Winter 1995	BC2F1
PHFW4<4PHP38<4B73*Gene for European Corn Borer resistance) Spring 1996	BC3F1
PHFW4<5PHP38<4B73*Gene for European Corn Borer resistance Summer 1996	BC4F1
PHFW4<5PHP38<4B73*Gene for European Corn Borer resistance)2 Winter 1996	BC4F2
PHFW4<5PHP38<4B73*Gene for European Corn Borer resistance)24 Summer 1997	BC4F3
PHFW4<5PHP38<4B73*Gene for European Corn Borer resistance)24X	BC4F4

^{**} The donor parent was originally B73 with a gene for European Corn Borer resistance. The gene was delivered to the recurrent parent PHP38 via backcrossing. The PHP38 variety with the European Corn Borer resistance trait was then used as a donor parent in backcrossing to the recurrent parent PHFW4.

Exhibit A: Developmental history for parent PH4NF

Exhibit A. Origin and Breeding History

Pedigree:

PHK05<5PHJ90<4B73+gene for European corn borer resistance)38X

Pioneer Line PH4NF, Zea mays L., a flint, corn, inbred, was developed by Pioneer Hi-Bred International, Inc. using the backcrossing method of plant breeding. Variety PHK05 was used as the recurrent parent. The donor parent was derived from B73 and contains a gene for European corn borer resistance. Varieties PHK05 (PVP Certificate No. 8800001), and PHJ90 (PVP Certificate No. 9100093) are proprietary inbred lines of Pioneer Hi-Bred International, Inc. During backcrossing generations, plants were selected from populations for European Corn Borer resistance. In addition plants were selected for the recurrent parent plant type during all generations following the BC1F1 generation.

After 4 doses of backcrossing, the line was selfed for 3 generations. Trials were grown at Mankato, Minnesota as well as other Pioneer research locations. Generations of the line have been grown and hand-pollinated with observations made for uniformity.

Variety PH4NF has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". In addition to backcrossing generations, it has been self-pollinated and ear-rowed 2 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetic homozygousity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability, and for 2 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and electrophoretically using sound lab molecular marker methodology.

No variant traits have been observed or are expected in PH4NF.

The criteria used in the selection of PH4NF were European corn borer resistance, PHK05 plant type, yield, both per se and in hybrid combinations; late season plant health, grain quality, stalk lodging resistance, and kernel size, especially important in production. Other selection criteria include: ability to germinate in adverse conditions; disease and insect resistance; pollen yield and tassel size.

Season/Year	Inbreeding Level of
Pedigree Grown	Pedigree Grown
PHK05	F0
Winter 1994	
PHJ90<4B73*Gene for European Corn Borer Resistant	F0
Winter 1994	
PHK05 <phj90<4b73*gene borer<="" corn="" european="" for="" td=""><td>F1</td></phj90<4b73*gene>	F1
Resistance)	
Spring 1995	
PHK05<2PHJ90<4B73*Gene for European Corn Borer	BC1F1
Resistance)	
Summer 1995	
PHK05<3PHJ90<4B73*Gene for European Corn Borer	BC2F1
Resistance)	
Winter 1995	
PHK05<4PHJ90<4B73*Gene for European Corn Borer	BC3F1
Resistance)	
Spring 1996	
PHK05<5PHJ90<4B73*Gene for European Corn Borer	BC4F1
Resistance	
Summer 1996	
PHK05<5PHJ90<4B73*Gene for European Corn Borer	BC4F2
Resistance)3	
Winter 1996	
PHK05<5PHJ90<4B73*Gene for European Corn Borer	BC4F3
Resistance)38	1
Summer 1997	
PHK05<5PHJ90<4B73*Gene for European Corn Borer	BC4F4
Resistance)38X	

^{**} The donor parent was originally B73 with a gene for European Corn Borer resistance. The gene was delivered to the recurrent parent PHJ90 via backcrossing. The PHJ90 with the European Corn Borer resistance was then used as a donor parent in backcrossing to the recurrent parent PHK05.

Pedigree: PH4NF/PH4NM

Pioneer Line PH81C, Zea mays L., a flint, corn, F1, hybrid, was developed by Pioneer Hi-Bred International, Inc. from the inbreds PH4NF X PH4NM. Varieties PH4NF and PH4NM are proprietary inbred lines of Pioneer Hi-Bred International, Inc. These inbreds were derived by backcrossing using (PHK05) and (PHFW4) as the recurrent parents. The donor parents were used to incorporate European Corn Borer resistance into these lines. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Mankato, Minnesota, as well as other Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown with observations again made for uniformity.

Variety PH81C has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". Being an F1 hybrid used as a female in hybrid production, the parent seed is required to reproduce the genotype. The parents and the F1 hybrid were developed with careful attention paid to selection criteria and uniformity of plant type to assure genetic and phenotypic stability. Very high standards for genetic purity have been established morphologically using field observations and electrophoretically using sound lab molecular marker methodology.

No variant traits have been observed or are expected in PH81C.

The criteria used in the selection of PH81C were yield as a female, both per se and in hybrid combinations; European Corn Borer resistance, late season plant health, grain quality, stalk lodging resistance, and kernel size, especially important in production. Other selection criteria include: ability to germinate in adverse conditions; disease and insect resistance.

Exhibit A: Developmental history for PH81C

Season/Year Pedigree Grown	Inbreeding Level of Pedigree Grown
Summer 1997 PH4NF	F0
Summer 1997 PH4NM	F0
Summer 1998 PH81C	F1

#Uniformity and stability were established when seed supplies were increased. Rogues were carefully removed if present. Uniformity and stability of the F1 were also controlled by careful development of the homozygous parents used to produce this F1 hybrid.

Exhibit B: Novelty Statement

Variety PH81C mostly resembles Pioneer Hi-Bred International, Inc. proprietary inbred line PHM5Z. Tables 1A and 1B show two sample t-tests on data collected primarily in Johnston and Dallas Center, IA. The traits collectively show measurable differences between the two varieties.

Variety PH81C has a greater ear diameter (37.1 mm vs 32.6 mm) than variety PHM5Z (Table 1A, 1B).

Variety PH81C has a greater kernel length (9.1 mm vs 7.7 mm) than variety PHM5Z (Table 1A, 1B).

Variety PH81C has shorter husk length (17.2 cm vs 20.1 cm) than variety PHM5Z (Table 1A, 1B).

Variety PH81C has a lower percent round kernels (40.2 % vs 81.2 %) than variety PHM5Z (Table 2A, 2B).

Variety PH81C has a light red cob color (Munsell 2.5YR 4/8) versus a white cob color (Munsell 5Y 9/1) for variety PHM5Z (Figures 1A, 1B).

2003 0 0258

Exhibit B: Novelty Statement Tables

Table 1A: Data from Johnston and Dallas Center, IA in 2002 broken out by environment are supporting evidence for differences between PH81C and PHM5Z. Varieties were grown in 3 locations that had different environmental conditions. Environments had different planting dates and were in different fields. A two-sample t-test was used to compare differences between means.

TRAIT	STA	TRAIT STA 1	VARIETY- 2	Count- Cour	Count- 2	Mean-	Mean- 2	Mean_ Diff	StdDeviation-	StdDeviation-StdDeviation-StdError-StdError-	StdError- 1	StdError- 2		DF_Pooled Value_Pooled	Prob_(2- tail)_Pooled
ear diameter									-						
(mm)	AD	PH81C	PHM5Z	5	5	38.2	35.2	3.0	1.643	1.095	0.735	0.490	&	3.4	600.0
ear															
diameter							************								
(mm)	ည္ထ	PH81C	PHM5Z	വ	വ	35.0	29.4	5.6	2.000	1.140	0.894	0.510	8	5.4	0.001
ear		dicas													
diameter			*********		***************************************		***************************************			***************************************	****				
(mm)	丐	PH81C	PHM5Z	ည	ည	38.2	33.2	2.0	1.483	1.924	0.663	0.860	∞	4.6	0.002
husk length															
(cm)	AD	PH81C	PHM5Z	5	ď	17.6	19.4	-1.8	1.342	1.673	0.600	0.748	8	-1.9	0.097
husk length							.,,								
(cm)	ဂ္ဂ	PH81C	PHM5Z	5	ည	16.0	20.0	4.0	1.581	2.828	0.707	1.265	8	-2.8	0.025
husk length			-												
(cm)	丐	PH81C	PHM5Z	ಬ	S	18.0	21.0	-3.0	0.707	0.707	0.316	0.316	8	-6.7	0.000
kernel											of about bases, and				
length (mm) AD	AD	PH81C	PHM5Z	S	သ	9.4	8.0	4.	1.140	0.000	0.510	0.000	8	2.7	0.025
kernel	*********												.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	house the same	
length (mm) DC	DC (PH81C	PHM5Z	5	2	8.4	7.4	1.0	0.548	0.548	0.245	0.245	8	2.9	0.020
kernel															
length (mm) JH	5	PH81C	PHM5Z	5	ζ.	9.6	7.8	<u>6</u> .	0.894	0.837	0.400	0.374	∞	က	0.011

Exhibit B. Novelty Statement Tables

Table 1B: Summary data from Johnston and Dallas Center, IA in 2002 across environments are supporting evidence for differences between PH81C and PHM5Z. Environments had different planting dates and were in different fields. A two-sample t-test was used to compare differences between means.

	0.000	0.000	0.000
t- Value d Pooled	4.9	4.7	-4.7
ا المالا المالية الما	_ 28	28	78
StdError-	0.729	0.153	0.496
StdError-	0.576	0.256	0.380
Deviation-StdDeviation-StdError-StdError	2.823	0.594	1.922
StdDeviation- 1	2.232	0.990	1.474
Mean Stdl Diff	4.5	1.4	-2.9
Mean-	32.6	7.7	20.1
nt- Mean- 1	37.1	9.1	17.2
Sount- 2	15	15	15
Count- (15	15	5
.VARIETY-C	PH81C PHM5Z	PHM5Z	PH81C PHM5Z
VARIETY-VARIET	PH81C	PH81C	PH81C
TRAIT	ear diameter (mm)	kernel length (mm)	husk length (cm)

Exhibit B: Novelty Statement tables

Table 2A: Data from Johnston and Dallas Center, IA broken out by year and across environments are supporting evidence for conditions. Environments had different planting dates and were in different fields. A two-sample t-test was used to compare differences between PH81C and PHM5Z. Each year varieties were grown in 3 locations that had different environmental differences between means.

Prob_(2-tail)_Pooled	9000	0.003
t. Belle Poole Poole tail	יר רי	-17.0
StdDeviation StdDeviation StdError StdError DF_Poole Value_Poole -1 -2 d	4	7
StdError DF -2	4 667	1.000
StdError S	8 083 6 566 4 667	1.414 2.000 1.000
tdDeviation 3	8 083	1.414
dDeviation S	11 372	2.828
Alean-St Diff	-43.0	-38.0
Mean-IN	84 7 -43 0	76.0 -38.0
Mean-II	41.7	2 38.0
Count I	3 417	
Count C	8	2
VARIĒTY -2	PHM57	PHM5Z
YEA VARIETYVARIETY Count Count Mean-I	2002PH81C PHM57	2003PH81C PHM5Z
DataField	%Round Kernels (13x3/4)	%Round Kernels (13x3/4)

Table AB: Summary data from Johnston and Dallas Center, IA across years and environments are supporting evidence for differences between PH81C and PHM5Z. Environments had different planting dates and were in different fields. A two-sample t-test was used to compare differences between means.

Prob_(2- ail)_Pooled	0.000
4	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
t- Value_Poole d	-8.2
ole Va	∞
DF_Poole d	
StdError- 2	3.760 3.338
fion StdError-	
Deviation S	7.463
onStd	80
dDeviatir -1	8.408
an_DifSt	-41.0
n-Me	.5
Mea 2	40.2 81.3
Aean- 1	40.2
-t-Z	2
- j-	ಬ
VARIETY -2	PHM5Z
ZETY	
VAF	PH8
DataFiel	%Round Kernels (13x3/4) PH81C




Exhibit B: Novelty Statement Figures

EXHIBIT C:

(Corn; Maize)

(8-22-2001)

United States Department of Agriculture, Agricultural Marketing Service Science and Technology, Plant Variety Protection Office National Agricultural Library Building, Room 400 Beltsville, MD 20705-2351

OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

Name of App Pioneer His	plicant(s) -Bred Internatio	nal, Inc	Variety N PH81C	lame or Temp	orary Designation:
State, Zip Co	eet & No., or R.I)	, FOR OF	FICIAL USE	PVPO Number
	2nd Avenue, P.0 Iowa 50131-008	•		6	2003 0 0258
leading zeroes if nece	number that describes the vessary. Completeness should quate variety description and	be striven for to estab			: justify whole numbers by adding ated by a "*" are considered
COLOR CHOICES	(Use in conjunction with	Munsell color code to	describe all color choice	s; describe #25 and # 26	in comments section)
01=Light Green 02=Medium Green 03=Dark Green 04=Very Dark Greer 05=Green-Yellow	06=Pale Yellow 07=Yellow 08=Yellow-Orange n 09=Salmon 10=Pink-Orange	11=Pink 12=Light Red 13=Cherry Red 14=Red 15=Red & White	16=Pale Purple 17=Purple 18=Colorless 19=White 20=White Capped	21=Buff 22=Tan 23=Brown 24=Bronze 25=Variegated	26=Other (Describe)
STANDARD INB	RED CHOICES (Use th	e most similar (in back	ground and maturity) of	these to make comparison	ons based on grow-out trial data):
Yellow Dent Far Family B14 B37 B73 C103 Ch43 WF9	milies: Members CM105, A632, B64, B68 B37, B76, H84 N192, A679, B73, NC268 Mo17, Va102, Va35, A682 A619, MS71, H99, Va26 W64A, A554, A654, Pa91	Co109, Oh7, T2 W117, \ W182BI White Der	32 V153R V	Popcorn SG1533, 47 Pipecorn:	n: ra 5125, P39, 2132 22, HP301, HP7211 W, Mo16W, Mo24W
Application \ PH81C	/ariety Data			l Sta	andard Inbred Data CM105
<u>3</u> (1= 6=0	describe interme Sweet 2=Dent Ornamental 7=Pi ents: <u>Flint-Den</u>	3=Flint 4=Flooecorn)		ĺ	3 Stand. Seed Source AMES 19315
<u>2</u> (1=	WHERE DEVEL N.West 2=N.Ce ntral, 6=S. West,	ntral 3=N.Ea		5=S. 	Region
Application PH81C	Variety Data	F	Page 1	Sta	ndard Variety Data CM105

EXHIBIT C:

(Corn; Maize)

Application Variety Data PH81C		CM105	Standar	d Inbre	d Data
3. MATURITY: Days Heat Units 047 1,165.0 From emergence to 50% of 44 1,087.0 From emergence to 50% of 67.7 From 10% to 90% pollen signs from 50% silk to harvest at	f plants ir ned edible qua	n pollen l l ality l			t Units ,227.7 ,172.0 74.0
4. PLANT:	St.Dev	S.Size I	Avg. \$	St.Dev	S.Size
187.7 cm Plant Height (to tassel tip) 71.7 cm Ear Height (to base of top ear node)	23.14 13.04	15 15 	<u>167.1</u> <u>61.6</u>	08.03 06.06	<u>15</u> <u>15</u>
13.9 cm Length of Top Ear Internode 0.0 Average Number of Tillers/plant 1.0 Average Number of Ears per Stalk 4 Anthocyanin of Brace Roots: 1=Absection 2=Faint, 3=Moderate, 4=Dark	1.94 0.01 0.09 ent	15 3 3 	12.2 0.0 1.1 3	1.61 0.00 0.09	15 3 3
5. LEAF:	St.Dev	S.Size I	_	St.Dev	
8.1 cm Width of Ear Node Leaf 67.9 cm Length of Ear Node Leaf 6 Number of leaves above top ear 23 Degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf)	0.83 4.56 0.63 4.21	15 15 15 15	7.7 79.9 <u>5</u> 31	0.49 4.87 0.46 8.40	15 15 15 15
3 Leaf Color (Munsell code)* 4 Leaf Sheath Pubescence (Rate on scanning 1=none to 9=like peach fuzz)	<u>5GY</u> ale from	4 <u>4</u> i	<u>3</u> <u>3</u>	<u> </u>	5GY44
6. TASSEL:	St.Dev		_	St.Dev	_
 10 Number of Primary Lateral Branches 49 Branch Angle from Central Spike 52.5 cm Tassel Length (from top leaf collar node to tassel tip) 	2.37 10.57 4.58	15 15 15 1	6.3 24.1 45.6	3.20 8.84 3.66	15 15 15
 6 Pollen Shed (0=male sterile to 9=heaved 7 Anther Color (Munsell code)* 17 Glume Color (Munsell code)* 2 Bar Glumes (Glume Bands): 1=Absen 	5Y8.5 10RP2	<u>6</u> I	7 1 1	<u> </u>	5 <u>Y9</u> 4 5GY66

Application Variety Data Page 2 Standard Inbred Data

Note: Use chart on first page to choose color codes for color traits

*Munsell Glossy Book of Color (a standard color reference) Kollmorgen Inst. Corp. New Windsor NY.

	EXHIBIT C	:	(Corn; Maize)	(8-22-2001)
Application Variety Data	PH81C	CM10	5 Standar	d Inbred Data
7a. EAR (Unhusked Data) 1 Silk Color *	: (3 days after emergence)	St.Dev S. Size 5GY88		St.Dev, S.Size .5GY96
1 Fresh Husk Color 21 Dry Husk Color*	* (25 days after 50% silking) (65 days after 50% silking)	2.5GY86 10YR92		GY66 .5Y8.54
1 Position of Ear6 Husk Tightness2 Husk Extension:	(1=Upright, 2=Horizontal, 3= (1=very loose to 9=very tigh (at harvest): 1=Short (ears e (<8cm), 3=Long (8-10cm be Long (>10cm).	t) exposed), 2=Medium	3 6 2	
7b. EAR (Husked Ear Data 13.3 cm Ear Length 37.1 mm Ear Diameter 83.7 gm Ear Weight 12 Number of Kernel 2 Kernel Rows: 1=1	at mid-point Rows ndistinct 2=Distinct	St.Dev. S.Size 1.63 15 2.23 15 20.31 15 0.83 15	I <u>15.2</u> I <u>38.9</u> I <u>92.2</u> I <u>13.5</u>	St.Dev S.Size 1.70 2.33 15 19.24 1.19 15
1 Row Alignment:1= 8.3 cm Shank Length 2 Ear Taper: 1=Slig conical, 3=Extrem	ht cylindrical, 2= Av	<u>2.28</u> <u>15</u>	<u>2</u> <u>2</u> <u>11.5</u> <u>2</u>	<u>2.77</u> <u>15</u>
8. KERNEL (Dried) 9.1 mm Kernel Length 8.0 mm Kernel Width 5.1 mm Kernel Thickr 41.7 % Round Kernels 1 Aleurone Color Pa	ness (Shape Grade) attern:	St.Dev. S.Size 0.99 15 0.65 15 1.10 15 11.18 3	Avg. S <u>9.5</u> <u>7.2</u> <u>4.7</u> <u>27.1</u> . <u>1</u>	t.Dev. S.Size 0.74 15 0.68 15 0.80 15 3.61 3
Starch, 4=High Am	Munsell code)* Color (Munsell C)* Extra Sweet (sh2) 3 Nylose Starch, 5=Wa High Lysine, 8=Sup	xy Starch,	1 <u>8</u> <u>7</u> <u>3</u> 	2.5Y814 2.5Y814
25.0 gm Weight per 10 (Unsized sample)		<u>1.73</u> <u>3</u>	l <u>20.3</u>	<u>0.58</u> <u>3</u>
9. COB: 24.9 mm Cob Diameter 14 Cob Color (Munse	•	1.68 2.5YR48	l l <u>26.2</u> l <u>14</u>	1.37 15 10R46

Application Variety Data

Page 3

Standard Inbred Data

10. DISEASE RESISTANCE:(1-most susceptable to 9-most resistant, Leave blank if not tested, Leave race or strain options blank if	
polygenic) A. LEAF BLIGHTS, WILTS, AND LOCAL INFECTION DISEASES Anthracnose Leaf Blight (Colletotrichum graminicola) Common Rust (Puccinia sorghi)	
Common Smut (Ustilago maydis) Eyespot (Kabatiella zeae)	-
Gross's Wilt (Clavibacter michiganense spp. nebraskense) 7 Gray Leaf Spot (Cercospora zeae-maydis) Helminthosporium Leaf Spot (Bipolaris zeicola) Race:	! ! <u>4</u>
5 Northern Leaf Blight (Exserohilum turcicum) Race: Southern Leaf Blight (Bipolaris maydis) Race:	I <u>4</u>
5 Southern Rust (Puccinia polysora) 6 Stewart's Wilt (Erwinia stewartii) Other (Specify):	<u>4</u> <u>7</u>
B. SYSTEMIC DISEASES Corn Lethal Necrosis (MCMV and MDMV) Head Smut (Sphacelotheca reiliana) Maize Chlorotic Dwarf Virus (MDV)	
Maize Chlorotic Mottle Virus (MCMV) Maize Dwarf Mosaic Virus (MDMV) Sarahum Downy Mildow of Corp (Paranagelaraanara aarahi)	
_ Sorghum Downy Mildew of Corn (Peronosclerospora sorghi) _ Other (Specify):	=
C. STALK ROTS 6 Anthracnose Stalk Rot (Colletotrichum graminicola) Diploidia Stalk Rot (Stenocarpella maydis) Fusarium Stalk Rot (Fusarium moniliforme) Gibberella Stalk Rot (Gibberella zeae) Other (Specify):	<u>6</u>
D. EAR AND KERNEL ROTS Aspergillus Ear and Kernel Rot (Aspergillus flavus)	
Diplodia Ear Rot (Stenocarpella maydis) Fusarium Ear and Kernel Rot (Fusarium moniliforme) 7 Gibberella Ear Rot (Gibberella zeae) Other (Specify):	 <u>5</u>
Other (Specify)	<u> </u>
Application Variety Data Page 4 Standard PH81C	l Inbred Data CM105

EXHIBIT C:

(Corn; Maize) (8-22-

Application Variety Data

PH81C

CM105

11. INSECT RESISTANCE: (1 Banks Grass Mite (OI) Corn Earworm (Helicol) Leaf Feeding Silk Feeding Ear Damage Corn Leaf Aphid (Rho) Corn Sap Beetle (Cap) European Corn Borer 1st. Generation (Typical) Stalk Tunneling Stalk Tunneling Fall Armyworm (Spod) Leaf Feeding Silk Feeding:	igonychus pratensis) overpa zea)mg larval wt. opalosiphum maidis) oophilus dimidiatus) (Ostrinia nubilalis) ally whorl leaf feeding) cally leaf sheath-collarcm tunneled/pla optera frugiperda)	feeding)	
		•	<u> </u>
•	•		
			I
			l
		ant	_
	optera trugiperda)		
	ma lanval wt		<u> </u>
_ Slik i eeding.	,_ mg larvar wt.		¦ –
_ Maize Weevil (Sitophi	lus zea maize)		ı
Northern Rootworm ([Diabrotica barberi)		. <u> </u>
_ Southern Rootworm (Diabrotica undecimpu	nctata)	ı
_ Southwestern Corn Be	orer (Diatreaea grandi	osella)	ı
Leaf Feeding			· _
	cm tunneled/p		I
_ Two-spotted Spider Mi			_
_ Western Rootworm (D	iabrotica virgitera virgi	tera)	_
Other (Specity) 12. AGRONOMIC TRAITS:			<u> </u>
Staygreen (at 65 days	after anthesis: rate fro	om 1 woret to	l
excellent)	alter artificolo, rate il	on i-worst to	! }
0 % Dropped Ears (at 65	5 days after anthesis)		i <u>0</u>
_ % Pre-anthesis Brittle			. <u>=</u> I
% Pre-anthesis Root L			 I
% Post-anthesis Root		fter anthesis)	I
% Post-anthesis Stalk	~ ~		1
3,174.0 Kg/ha Yield of inbred			ı <u>2,779.0</u>
13 MOLECULAR MARKERS: (data available but	_
not supplied; 2-data supplie	•		I
Isozymes <u>1</u> I	RFLP's	RAPD's	
Application Variety Data	Page 5	Standard	Inbred Data
PH81C	_		CM105

COMMENTS: (eg. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in exhibit D)

Please note the data presented in Exhibit B and C, "Objective Description of Variety," are collected primarily at Johnston and Dallas Center, Iowa. The data in Tables 1A and 1B are from two sample t-tests using data collected in Johnston and Dallas Center, IA. These traits in exhibit B collectively show distinct differences between the two varieties.

There are environmental factors that may differ from environment to environment that might explain larger standard deviations. Environmental temperature and precipitation differences during the vegetative and grain fill periods can impact plant and grain traits and be a source of variability. Please see table 3 summary of rainfall and growing season temperatures for 2002.

Table 3. Temperature and rainfall

TEMPERATURE

YEAR	MAY	JUN	JULY	AUG	AVERAGE
1994	59.8	70.7	71.9	69.0	67.9
1995	56.2	69.4	74.3	76.9	69.2
1996	56.2	69.3	71.3	70.5	66.8
1997	53.5	70.6	74.1	69.6	67.0
1998	64.7	66.6	74.8	73.5	69.9
1999	60.7	69.7	78.7	70.5	69.9
2000	63.5	68.9	73.2	74.2	70.0
2001	61.3	69.0	76.7	74.2	70.3
2002	57.7	73.5	77.9	71.7	70.2

RAINFALL

YEAR	MAY	JUN	JULY	AUG	Total
1994	3.67	5.75	1.71	4.18	15.31
1995	5.04	4.19	2.94	2.87	15.04
1996	8.47	4.35	2.51	2.14	17.47
1997	4.32	3.27	4.10	1.36	13.05
1998	6.46	11.07	5.70	4.96	28.19
1999	6.46	4.54	4.45	6.55	21.85
2000	5.40	5.80	3.16	1.78	16.14
2001	5.72	3.87	2.05	1.92	13.56
2002	2.91	2.78	5.34	4.00	15.03

REF	PRODUCE LOCALLY. Include form number and edition date on all reproductions.		FORM APPE	ROVED - OMB NO. 0581-0055		
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE		certificate is	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). The information is held			
	EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	confidential	until the certificate is issued (7 U.S.C. 2426).		
1.	NAME OF APPLICANT(S)		DRARY DESIGNATION	3. VARIETY NAME		
	PIONEER HI-BRED INTERNATIONAL, INC.	OREX	PERIMENTAL NUMBER	PH81C		
4	ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. T	ELEPHONE (include area code,) 6. FAX (include area code)		
	7301 NW 62 nd AVENUE	51	15-270-4051	515-253-2125		
P.O.BOX 85 JOHNSTON, IA 50131-0085		7. P	VPO NUMBER			
		200300258				
8.	Does the applicant own all rights to the variety? Mark an "X" in the appropriate	te block. If no,	please explain:] YES □ NO		
9.	Is the applicant (individual or company) a U.S. national or a U.S. based company	any? If no, giv	e name of country	YES NO		
10.	Is the applicant the original owner?	ON	If no, please answer <u>one</u>	of the following:		
	a. If the original rights to variety were owned by individual(s), is (are) the or	iginal owner(s)	a U.S. National(s)?			
	☐ YES [□ NO	if no, give name of	country		
	b. If the original rights to variety were owned by a company(ies), is (are) the	e original owne	r(s) a U.S. based company	?		
	⊠ YES [□ NO	If no, give name of	country		
11.	Additional explanation on ownership (Trace ownership from original breeder	to current own	er. Use the reverse for ext	ra space if needed):		
	Pioneer Hi-Bred International, Inc. (PHI), Des Moines, Iowa, and/or its wholly the employer of the plant breeders involved in the selection and developmen Corporation has the sole rights and ownership of PH81C pursuant to written variety was created. No rights to this variety are retained by any individuals.	t of PH81C. P	ioneer Hi-Bred Internationa	al and/or Pioneer Overseas		
PLE	ASE NOTE:			·		
Plan	t variety protection can only be afforded to the owners (not licensees) who meet the f	following criteri	a:			
1.	. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.					
2.	If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.					
3.	If the applicant is an owner who is not the original owner, both the original owner a	and the applicant	t must meet one of the above	criteria.		
The	original breeder/owner may be the individual or company who directed the final bree	eding. See Sect	ion 41(a)(2) of the Plant Vari	ety Protection Act for definitions.		
Ac	coording to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is all of OMB control number for this information collection is 0581-0055. The time required to complete this	is not required to resinformation collection	spond to a collection of information upon is estimated to average 0.1 hour	unless it displays a valid OMB control number. The		

instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal employment opportunity provide and employer.